



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

REC'D 27 AUG 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

*AmBauer*

Dated 16 August 2004



# Patents Form 1/77

Patents Act 1977  
(Rule 16)



# 1/77

The Patent Office  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

## Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference	95.81434/003		
2. Patent application number (The Patent Office will fill in this part)	0412671.0		
3. Full name, address and postcode of the or of each applicant (underline all surnames)	Camurus AB Ideon, Gamma 1 Sölvegatan 41 SE-223 70 Lund Sweden		
Patents ADP number (if you know it)	08217762002		
If the applicant is a corporate body, give country/state of its incorporation	Sweden		
4. Title of the invention	Method		
5. Name of your agent (if you have one)	Frank B. Dehn & Co.		
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	179 Queen Victoria Street London EC4V 4EL		
Patents ADP number (if you know it)	166001 ✓		
6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months	Country	Priority application number (if you know it)	Date of filing (day / month / year)
7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)	Number of earlier UK application	Date of filing (day / month / year)	
8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request? Answer YES if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. Otherwise answer NO (See note d)	Yes		

# Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description 61

Claim(s) 3

Abstract

Drawing(s) 13

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

*Frank B. Durr & Co*  
Signature

Date 7 June 2004

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

Chris Goddard  
020 7206 0600

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s) of the form. Any continuation sheet should be attached to this form.
- If you have answered 'Yes', Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7, you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

### Method

The present invention relates to methods for the production of particles suitable for the delivery of active substances. More specifically, the invention relates to methods for the production of non-lamellar amphiphile-based particles and for controlling the particle size distribution thereof.

Amphiphile-based formulations show considerable potential in the delivery of many substances, especially for *in vivo* delivery to the human or animal body. Because the amphiphile has both polar and apolar groups which cluster to form polar and apolar regions, it can effectively solubilise both polar and apolar compounds. In addition, many of the structures formed by amphiphiles/structuring agents in polar and/or apolar solvents have a very considerable area of polar/apolar boundary at which other amphiphilic compounds can be adsorbed and stabilised.

The formation of non-lamellar regions in the amphiphile/water, amphiphile/oil and amphiphile/oil/water phase diagrams is a well known phenomenon. Such phases include liquid crystalline phases such as the cubic P, cubic D, cubic G and hexagonal phases, which are fluid at the molecular level but show significant long-range order, and the L<sub>3</sub> "sponge" phase which comprises a multiply interconnected three-dimensional bi-continuous network of bilayer sheets which lack the long-range order of the liquid crystalline phases. Depending upon their curvature, these phases may be described as normal (mean curvature towards the apolar region) or reversed (mean curvature towards the polar region). Where the spontaneous

curvature of the lipid system is close to zero, the structures are typically lamellar, such as uni- or multi-lamellar vesicles/liposomes and where the spontaneous curvature is more negative or positive, micellar, cubic and hexagonal phases typically dominate.

The non-lamellar liquid crystalline and  $L_3$  phases are thermodynamically stable systems. That is to say, they are not simply a meta-stable state that will separate and/or reform into layers, lamellar phases or the like, but are the thermodynamically stable form of the mixture.

Both lamellar and non-lamellar systems have been investigated for their properties as carriers and/or excipients for dietary, cosmetic, nutritional, diagnostic and pharmaceutical agents but the non-lamellar systems are thought to have considerable advantages in terms of their high internal surface area between polar and apolar regions. This has led to considerable investigation of non-lamellar phases particularly in controlled-release formulations and for solubilising compounds of relatively low solubility.

As discussed above, a bulk non-lamellar phase is typically a thermodynamically stable system. In addition, this bulk phase may be dispersed in a polar or non-polar solvent to form particles of a non-lamellar (especially liquid crystalline) phase in a bulk solvent. This allows the advantages of bulk non-lamellar phases to be applied in situations where use of a bulk non-miscible phase would cause problems, such as in parenteral applications. Further control of a compound's release profile may also be achieved by such a dispersion of non-lamellar particles.

Liquid crystalline or  $L_3$  phase can be in or near thermodynamic equilibrium with the excess solvent and may be dispersed into colloiddally stable dispersions of non-lamellar particles. Such particles may be fully (i.e. thermodynamically) stable, or may gradually degrade, thereby providing control over the release profile for active agents formulated therewith. The formation of dispersions can be spontaneous or as the result of mechanical force such as shearing or ultrasound. These non-lamellar particles are of considerable interest in the delivery of active agents and have been proposed as carriers for many such actives.

A method for the formation of dispersed particles of non-lamellar phase in solvents such as water is described in US 5,531,925. Such particles have a non-lamellar liquid crystalline or  $L_3$  interior phase and a lamellar or  $L_3$  surface phase and may also contain active ingredients.

Known particles of liquid crystalline or  $L_3$  interior phase may be formed by methods such as adding to this phase a solution of surface-phase forming agent, stirring to form a coarse dispersion and fragmenting the resulting mixture.

In order to assess the presence of a liquid crystalline phase, the prospective liquid crystalline material may be examined by use of small-angle X-ray diffraction (SAX), cryo-Transmission Electron Microscopy (cryo-TEM) or Nuclear Magnetic Resonance (NMR) spectroscopy studies. The sizes and size distributions of the dispersed particles may be examined by light scattering, particularly by use of laser light scattering

instruments.

Dispersions containing active ingredients and particularly those for intravenous administration to the human or animal body are desirably colloidal, that is they should be of a particle size no greater than 10  $\mu\text{m}$ , especially no greater than 5  $\mu\text{m}$  and particularly no greater than 1  $\mu\text{m}$ . If particles within the dispersion exceed this size then the dispersion may not be colloidally stable and there is a considerable risk of causing embolism when the preparation is administered intravenously. Furthermore, it is desirable that the distribution of particle sizes be narrow to maximise control over the release of any active agent. Where a particulate composition is to be administered by a method other than intravenously (e.g. orally, intramuscularly, subcutaneously, rectally or by inhalation), then the particles need not necessarily be colloidal but it remains advantageous to provide a well characterised and reproducible particle size distribution in order to control the rate of decomposition of the particles and/or release of the active agents.

The particle size of a particulate composition should also be stable to storage over a considerable period of time. If the distribution of particle sizes changes significantly then the effective transport rate for composition (e.g. due to diffusion and rate of release of any active agent) may be adversely affected. Of still greater concern is the stability of particle sizes in a colloidal dispersion for intravenous administration. If the particle size distribution of such a dispersion is not stable (e.g. to storage and distribution) then large particles may form over time

and be dangerous when administered. Even if not directly dangerous, storage instability can cause significant variability in pharmacokinetics, dynamics and/or efficacy.

In addition to control over particle size, it is desirable to maximise the proportion of particles which are in the desired, non-lamellar, phase in order to maximise the beneficial effects of this in terms of loading capacity, protective encapsulation, controlled release, reproducibility etc. The proportion of lamellar particles such as uni- or multi-lamellar vesicles should therefore be minimised.

Known methods for the formation of dispersed particles of non-lamellar phase are highly effective, but typically produce a relatively broad distribution of particle sizes and a considerable proportion of "contaminant" lamellar vesicular particles. Increasing the proportion of fragmenting and/or stabilising agent (e.g. surfactant, copolymer and/or protein) in the formulation or increasing the energy input of the homogenisation process may be used to narrow the particle size distribution but at the expense of increasing the proportion of lamellar particles. There is therefore a considerable need for methods by which a dispersion of non-lamellar particles may be formed having a narrow, preferably colloidal, particle size distribution and a high proportion of non-lamellar particles.

The present inventors have now unexpectedly established that by heating lamellar and/or non-lamellar particles of appropriate composition to an elevated temperature for a short period before cooling to room temperature,



the distribution of particle sizes may be narrowed, the stability of the particle size distribution improved and/or the proportion of non-lamellar particles increased.

The present invention therefore provides a method for the production of (preferably colloidal) non-lamellar particles, said method comprising forming lamellar and optionally non-lamellar particles comprising at least one structuring agent, heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide conversion of at least 50% of said lamellar particles to non-lamellar form, after cooling. This heating and cooling method may be carried out once, or as two, three, four or more sequential cycles of heating and cooling.

The present invention further provides a method for narrowing the particle size distribution (for example, as displayed by light scattering) of a sample of lamellar and/or non-lamellar particles comprising at least one structuring agent, said method comprising heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide a narrowing of said particle size distribution after cooling. This heating and cooling method may be carried out once, or as two, three, four or more sequential cycles of heating and cooling.

Because lamellar and non-lamellar particles are self-assembled systems, particles of a dispersion may collide

and fuse, thereby broadening the distribution of particle sizes when the dispersion is stored. Oswald ripening may also contribute to broadening of the distribution during storage. It has, remarkably, been established that the method of heat cycling renders the distribution of particle sizes in a dispersion of lamellar and/or non-lamellar particles more stable over time.

In a further aspect, the present invention therefore provides a method for stabilising the particle size distribution (for example, as displayed by light scattering) of a sample of lamellar and/or non-lamellar particles comprising at least one structuring agent, said method comprising heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide stabilisation of said particle size distribution after cooling. This heating and cooling method may be carried out once, or as two, three, four or more sequential cycles of heating and cooling.

The heat cycling methods of the invention have surprisingly general application and appear suitable for the control of phase, particle size distribution and/or stability of many dispersed lipid formulations, especially where the thermodynamic state of the composition is non-lamellar at ambient temperature.

In a further aspect, the present invention provides non-lamellar particles comprising at least one structuring agent formed or formable by forming lamellar and optionally non-lamellar particles comprising at least one structuring agent, heating said particles to a

temperature at which conversion to non-lamellar particles takes place for a period sufficient to provide conversion of at least 50% of said lamellar particles to non-lamellar form, followed by cooling, preferably to ambient temperature. The particles may be non-colloidal (e.g. 10-200  $\mu\text{m}$ ), for example where the formulation is to be suitable for non-intravenous use, but are preferably colloidal.

In a further embodiment of the invention, the present inventors have additionally established that the particle size distribution of a formulation comprising at least one structuring agent for use in the present invention may be controlled further by carrying out the heat treatment of the present invention in an aqueous medium of controlled ionic strength. In particular, small (e.g. colloidal, especially small colloidal ( $<0.3 \mu\text{m}$ )) particles are most easily formed at low ionic strength such as below or around 0.1 mM NaCl in water. The proportion of non-lamellar particles (i.e. having a non-lamellar core as described herein) is increased by use of the heat cycling method described herein. The particle size distribution may be controlled by heat treatment in a medium (generally an aqueous solution) of controlled ionic strength. The average particle size is generally increased by use of media with higher ionic strength. Typically, stable, non-lamellar particle dispersions may be formed by carrying out the heat treatment step at ionic strength in the range 0.1 mM to 100 mM NaCl (or ionic strength equivalent) depending upon the composition used. The precise size distribution will depend upon the composition and suitable conditions may quickly be established by reference to the methods described herein, but typically sub-micron particles are formed at low ionic strength

and larger colloidal and non-colloidal particles at increasing ionic strengths.

Where small particles are required in solutions of relatively high salt concentrations (e.g. in 0.9% NaCl for injections) the particles may be formed by the heat treatment method of the invention at a low ionic strength and, after cooling, further salt(s) added to provide the desired osmolality.

Furthermore, where a proportion of a charged amphiphile is included in the amphiphilic components of a composition, it is desirable to conduct heat treatment step at an ionic strength of around 0.1-20 mM NaCl, or an equivalent level of other suitable salt(s). The most desirable range will depend upon the particular components of the composition and will typically be 0.1 to 15 mM, preferably 0.2 to 10 mM. By doing so, the proportion of particles converted to non-lamellar form is increased while maintaining the particle size in a desirable size range.

In a further aspect, the present invention provides non-lamellar particles comprising at least one structuring agent formed or formable by forming lamellar and optionally non-lamellar particles comprising at least one structuring agent, heating said particles to a temperature at which conversion to non-lamellar particles takes place for a period sufficient to provide conversion of at least 50% of said lamellar particles to non-lamellar form, followed by cooling, preferably to ambient temperature. The particles may be non-colloidal (e.g. 10-200  $\mu\text{m}$ ), for example where the formulation is to be suitable for non-intravenous use, but are preferably colloidal.

In a yet further embodiment of the invention, the present inventors have further established that the particle size distribution of a formulation comprising at least one structuring agent for use in the present invention may be further controlled by carrying out the methods of the present invention in an aqueous medium at controlled concentration of amphiphile. In particular, small (e.g. colloidal, especially small colloidal ( $<0.3 \mu\text{m}$ )) particles are most easily formed at low concentration of amphiphile, such as below or around 10 wt% total amphiphile in aqueous solution. The proportion of non-lamellar particles (i.e. having a non-lamellar core as described herein) is increased by use of the heat cycling method described herein and/or the particle size distribution may be narrowed as also described.

The particle size distribution may be controlled by treatment at a known and controlled concentration (generally in aqueous solution). The average particle size generally being increased by use of higher total amphiphile concentrations. Typically, stable, non-lamellar particle dispersions may be formed by carrying out the methods of the invention (e.g. as described in any of the examples herein) at amphiphile concentrations of 0.5 to 20 wt%, preferably 1 to 15 wt% in an aqueous medium. The precise size distribution will depend upon the composition and suitable conditions may quickly be established by reference to the methods described herein. Typically, sub-micron particles are formed at high dilution and larger colloidal and non-colloidal particles at increasing amphiphile concentrations. The effect of dilution may be used in combination with any of the other factors considered herein (especially number of heat-coll cycles, cycle time, ionic strength etc.) to control the average size, size distribution

and/or phase behaviour of an amphiphile system (as describe herein). By reference to the Examples below a skilled worker will have little difficulty establishing suitable conditions for a desired amphiphile mixture.

Where small particles are required at relatively high concentrations of amphiphile (e.g. to minimize the total volume for injections) the particles may be formed by the methods of the invention at high dilution and, after cooling, concentrated by evaporation, ultrafiltration etc. Conversely, where larger particles are required at high dilutions (e.g. for infusion to a subject) then these may be formed by the processes described herein at high concentrations and, once cooled, diluted further.

As used herein, the term "non-lamellar" is used to indicate a normal or reversed liquid crystal phase (such as a cubic or hexagonal phase) or the  $L_3$  phase or any combination thereof, as opposed to lamellar structures as found in lamellar phase of liposomes. Where a particle is described as having a non-lamellar phase or form, this indicates that at least the internal region of the particle should adopt this form. The particles will generally have two distinct regions, an internal region and a surrounding surface region. The surface region, even in a "non-lamellar" particle will often be lamellar or crystalline and may be any phase ranging from a highly ordered crystalline or liquid crystal phase to a virtually orderless fluid layer. In contrast, a "lamellar" particle, as described herein is a particle having a solvent, rather than non-lamellar, core-region.

The term "lamellar particles" is used herein to indicate

vesicular particles characterised in that they comprise one or more outer lamellar bilayers of amphiphile, surrounding an inner solvent compartment.

The temperature to which the particles must be heated in order to provide the effect of the present invention will be readily established by one of skill in the art. For example, a sample of lamellar particles may be heated to a particular temperature for 4 hours and subsequently cooled to ambient temperature. The SAX scattering pattern of the sample before and after heat treatment may then be compared and the results compared for the presence of peaks corresponding to, for example, reversed cubic or hexagonal phase. Similarly, the length of time required for conversion at any particular temperature may be assessed by heating samples for set times and examining any changes in SAX scattering. Equivalent heating experiments will also determine the effect upon particle size distribution and storage stability, using analytical tools such as light scattering and cryo transmission electron microscopy.

Typically, samples will be heated to a temperature in the range 75 to 200°C, preferably 85 to 150°C, more preferably 96 to 140°C. The most preferred temperature range is 100 to 130°C. The heat may be supplied by any appropriate method, such as by autoclaving, baking in an oven, by electromagnetic irradiation (e.g. infra-red or microwave irradiation) and/or alternatives known in the art.

It has been surprisingly established that the temperature cycling method of the present invention functions without the need for the equilibrium form of the composition to be non-lamellar at the elevated

temperature. For example, a cubic phase may be the equilibrium condition for a composition at temperatures from ambient to 90°C and the elevated temperature be 100°C. At this elevated temperature, the equilibrium condition for a composition may not be non-lamellar. For example, the equilibrium condition for the composition at the elevated temperature may be lamellar, micellar (e.g. L1, L2) or isotropic.

Thus, the present invention also provides a method for the production of (preferably colloidal) non-lamellar particles, said method comprising forming lamellar and optionally non-lamellar particles comprising at least one structuring agent, heating said particles to an elevated temperature at which temperature the equilibrium form of the particles is not non-lamellar (preferably lamellar, micellar (e.g. L1, L2), or isotropic), followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide conversion of at least 50% (by particle number) of said lamellar particles to non-lamellar form, after cooling. This heating and cooling method may be carried out once, or as two, three, four or more sequential cycles of heating and cooling.

Typical periods of heating at an elevated temperature are relatively short and will generally be between 1 minute and 4 hours, more typically between 2 minutes and 1 hour. Periods of between 2 and 30 minutes are preferred, particularly between 5 and 20 minutes. The period may optionally include a period for equilibration, typically 1-10 minutes.

The components of the formulations include at least one



structuring agent (typically an amphiphile) and will generally also include a fragmentation agent (which may also be an amphiphile,<sup>3</sup> such as a surfactant, copolymer and/or protein). In addition, the formulations of the invention may include protein, drug, nutrient, cosmetic, diagnostic, pharmaceutical, vitamin, or dietary agents at a level sufficient to be effective without disrupting the phase behaviour of the composition in such a way that a non-lamellar phase is no longer formed. These are referred to herein as "active agents". Under some circumstances the structuring agent or fragmentation agent may also be an active agent. It is preferable that the thermodynamic equilibrium state of the component mixture of the formulation at ambient temperature, optionally in the presence of a solvent (such as water) is a non-lamellar phase such as the normal or reversed cubic or hexagonal phases or  $L_3$  phase.

Where an active agent is formulated in a composition of or for use in the method of the invention, the active agent will frequently have an effect upon the phase behaviour of the structuring agent(s). For example, certain active agents (such as cyclosporin A) introduce greater negative curvature than some structuring agents and at high concentrations may cause the formation of highly negatively curved phases, such as the reversed micellar  $L_2$  phase rather than a cubic or hexagonal liquid crystalline phase. Nonetheless, such an active agent could be formulated into, for example, a reversed hexagonal phase by formulation with a structuring agent, or a blend thereof, having a less negative spontaneous curvature. By this method, the overall mixture provides the appropriate negative curvature to allow use in the methods or compositions of the invention.

The skilled worker will be able to use standard methods to assess the degree of spontaneous curvature of any particular structuring agent (or mixture thereof) or the effect on this by including an active agent. This might be done, for example, by studies of the bulk phase behaviour of each structuring agent in water and subsequent studies with varying concentrations of active agent included. The phases can be examined by any of the methods indicated herein (e.g. polarised light, SAXS cryo-TEM etc.) and an appropriate blend of structuring agents chosen for each case. In some circumstances, where the effect of the active agent on the phase behaviour of the mixture is significant, the structuring agent(s) chosen may not provide the desired non-lamellar phase in themselves (e.g. may have too small or too great spontaneous curvature) but will generate this phase only when also formulated with the active agent. Similarly, the equilibrium phase may change from, for example, cubic to hexagonal liquid crystalline phase upon addition of the active agent.

The term structuring agents, as used herein in the methods and compositions of the invention, are any agents that are capable of forming a non-lamellar phase, optionally in the presence of other agents such as amphiphiles and/or fragmentation agents. Structuring agents will generally have at least one polar, hydrophilic group and at least one non-polar, hydrophobic group. A wide range of structuring agents are applicable for use as all or part of the structuring agent component.

Examples of polar groups are well known (see e.g. US published patent application number 20020153509) and include anionic groups such as carboxylates,

phosphonates, sulphates and sulphonates, non-ionic groups such as alcohols, polyols (eg sugars, glycerol etc) and esters, cationic groups such as quaternary ammonium compounds, pyridinium salts and quaternary phosphonium salts and zwitterionic groups such as phospholipid head groups (e.g phosphatidyl-choline, phosphatidic acid, phosphocholine, phosphoethanolamine, phosphoglycerol, phosphoserine, their PEGylated or mPEGylated derivatives, etc.), ammonioacetates, ammonio-alkanesulphonates and trialkylaminoalkylphosphate esters.

Examples of non-polar groups include C<sub>6</sub>-C<sub>32</sub> alkyl and alkenyl groups, which are typically present as the esters of long chain carboxylic acids. These are often described by reference to the number of carbon atoms and the number of unsaturations in the carbon chain. Thus, CX:Y indicates a hydrocarbon chain having X carbon atoms and Y unsaturations. Examples particularly include caproyl (C<sub>6</sub>:0), capryloyl (C<sub>8</sub>:0), capryl (C<sub>10</sub>:0), lauroyl (C<sub>12</sub>:0), myristoyl (C<sub>14</sub>:0), palmitoyl (C<sub>16</sub>:0), phytanoly (C<sub>16</sub>:0), palmitoleoyl (C<sub>16</sub>:1), stearoyl (C<sub>18</sub>:0), oleoyl (C<sub>18</sub>:1), elaidoyl (C<sub>18</sub>:1), linoleoyl (C<sub>18</sub>:2), linolenoyl (C<sub>18</sub>:3), arachidonoyl (C<sub>20</sub>:4), behenoyl (C<sub>22</sub>:0) and lignoceroyl (C<sub>24</sub>:9) groups. An amphiphile will typically have one or two non-polar "tail" groups (mono-acyl and di-acyl lipids respectively) but may have three, four or more hydrophobic groups.

Examples of structuring agents suitable for use in the present invention include natural lipids, synthetic lipids, surfactants, copolymers, peptides, proteins, hydrotropes, alcohols, and other additives that may form or facilitate formation of non-lamellar structures.

Preferred agents are glycerides (e.g. monoglycerides, diglycerides, and triglycerides), di- and polyglycerolesters of glycerides (e.g. diglycerol monooleate, diglycerol monocaprate), natural fats and oils (e.g. soybean oil, coconut oil, corn oil, castor oil, sunflower oil), fractionated oils (e.g. fractionated coconut oil, Miglyol® (Condea)), transesterified oils (e.g. Maizine®), transesterification products of oils and PEG (e.g. ethoxylated castor oil (e.g. Cremophor® EL (BASF)), ethoxylated hydrogenated castor oil (e.g. Cremophor® RH-40 (BASF)), ethoxylated corn oil (e.g. Labrafil® M 2125 CS (Gattefossé))), acetylated monoglycerides, fatty acids (e.g. C6-C26 saturated and unsaturated fatty acids), fatty alcohols (e.g. phytantriol (3,7,11,15-tetramethyl-1,2,3-hexadecantriol)), ether lipids (e.g. monooleyl glyceryl ether), natural and synthetic phospholipids (e.g. egg lecithin, soya lecithin, hydrogenated lecithin, phosphatidyl choline, phosphatidyl ethanolamine, phosphatidyl serine, phosphatidyl glycerol, phosphatidic acid), lysophospholipids (e.g. lyso-lecithin, lyso-phosphatidyl choline, lyso-oleyl phosphatidyl choline), phospholipid-analogous compounds (e.g. those disclosed in US 6344576), sterols and sterol derivatives (e.g. cholesterol, sitosterol, lanesterol and their esters, especially with PEG or fatty acids), galactolipids (e.g. digalactosyl diacylglycerol, monogalactosyl diacylglycerol), sphingolipids (e.g. sphingomyelin); nonionic surfactants, in particular ethoxylated surfactants such as PEG-fatty acid mono- and diesters (e.g. of the Crodet® (Croda), Cithrol® (Croda), Nikkol® (Nikko), Myrj® (ICI) series, Solutol® HS 15 (BASF)), PEG glycerol fatty acid esters (e.g. Tagat® L and O (Goldschmidt), Glycerox® L series (Croda), Capmul® EMG

(Abitec)), transesterification products of oils and PEG (e.g. of the Labrafil® (Gattefossé), Cremophor® (BASF) Crovol® (Croda) and Nikkol® HCO (Nikko) series), PEG-sorbitan fatty acid esters (e.g. Tween® 20, Tween® 80 and other polysorbates of the Tween® series (ICI)), PEG alkyl esters (e.g. of the Brij® (ICI) and Volpo® (Croda) series), PEG alkyl phenol surfactants (e.g. of the Triton X and N series (Rohm & Haas); polyglycerised fatty acids (e.g. Nikkol® Decaglyn (Nikko), Plurol® Oleique (Gattefossé)), propylene glycol fatty acid esters), propylene glycol fatty acid esters (e.g. Capryol® 90 (Gattefossé), Lutrol® OP2000 (BASF), Captex® (Abitec)), glycerol/propylene glycol fatty acid esters (e.g. Arlacel® 186 (ICI)), sorbitan fatty acid esters (e.g. of the Span® (ICI) and Crill® (Croda) series), sugar esters (e.g. of the SUCRO ESTER® (Gattefossé) and Crodesta® (Croda) series), polyoxyethylene-polyoxypropylene block copolymers (so-called poloxamers, e.g. of the Pluronic® (BASF), Synperonic® (ICI) and Lutrol® (BASF) series), copolymers of ethylene oxide and butylene oxide; anionic surfactants including fatty acid salts, bile salts (e.g. sodium cholate, sodium glycocholate, sodium taurocholate), carboxylates such as ether carboxylates, succinylated monoglycerides, mono/diacetylated tartaric acid esters of mono- and diglycerides, citric acid esters of mono- and diglycerides, glyceryl-lacto esters of fatty acids, acyl lactylates, alginate salts, propylene glycol alginate; cationic surfactants including ethoxylated amines (e.g. polyoxyethylene-15 coconut amine), betaines (e.g. N-lauryl-N,N-dimethylglycine), alkylpyridinium salts, quarternary ammonium salts such as hexadecyl triammonium bromide, decyl trimethyl ammonium bromide, cetyl trimethyl ammonium bromide; zwitterionic surfactants

including trimethylammonioethylalkylphosphonates (e.g. the examples disclosed in US 6344576); and all mixtures thereof. The most preferred structuring agents are monooleate, monolinoleate, glyceryl dioleate, dioleoyl phosphatidyl ethanolamine (DOPE), dioleoyl phosphatidylcholine (DOPC) and phytantriol, and mixtures of these with up to 50% fatty acids, in particular oleic acid and linoleic acid, polysorbate 80 (Tween® 80), polyethylene glycol 660 12-hydroxystearate (Solutol® HS 15), or lyso-phospholipids, especially lyso-oleoyl phosphatidylcholine (LOPC).

Often the structure forming agent component will contain components in the form of extracted and purified natural products and will thus contain a mixture of related compounds. Soy bean phosphatidyl choline, for example is a mixture of compounds having around 60-75% C18:2 acyl groups, around 12-16% C16:0 and the balance others. Similarly, commercial glycerol monooleate is typically at least 90% monoglyceride but contains small amounts of diglyceride and free fatty acid, with the acyl groups being over 60-90% C18:1, 5-10% saturated and the remainder largely higher unsaturated acyl groups. Different commercial preparations will also vary slightly as indicated in the Examples below.

A highly preferred structuring agent for use in the present invention is commercially available glycerol monooleate (GMO). As indicated above, this is largely monoglyceride with an oleoyl (C18:1) acyl chain but contains certain amounts of other compounds. These are included in the term "glycerol monooleate" or "GMO" as used herein. Commercial preparations of GMO include GMOrphic-80 and Myverol 18-99 (available from Eastman Kodak), Rylo MG 19 and Dimodan DGMO (available from

Danisco). . Any of the structuring agents may be used alone or in combination with one or more other structuring agents..

In addition to the amphiphilic structuring agent component, the compositions of the invention may, in particular, include at least one fatty acid or fatty acid salt component. Preferred fatty acids have between 6 and 24 carbons and particularly those corresponding to the fatty acid chains of natural lipids, including caproic, caprylic, capric, lauric, myristic, palmitic, phytanic, palmitolic, stearic, oleic, elaidic, linoleic, linolenic, arachidonic, behenic or lignoceric acids, their salts or mixtures thereof. The fatty acids may be saturated but are preferably unsaturated. The most preferred fatty acid is oleic acid. Salts of fatty acids will typically be physiologically tolerable, and for pharmaceutical applications will always be so. Preferred salts include alkali and alkaline earth metal salts such as sodium, potassium, lithium, calcium or magnesium salts as well as ammonium and alkylammonium salts. Typically, the fatty acid or fatty acid salt will be present as 0-10 wt% of the total amphiphilic component, preferably 3-7% by weight.

The fragmentation agent for use in the method of the invention will be at least one agent which aids the dispersal of the non-lamellar phase into particles or stabilises such particles. Typically a fragmentation agent will be a surfactant such as an amphiphilic block copolymer. A large number of surfactants and copolymers are suitable for use as all or part of the fragmentation agent for use in the present invention.

Important fragmentation agents include natural lipids,

synthetic lipids, surfactants, copolymers, proteins (in particular caseins and albumin), hydrotropes, alcohols and other additives that may facilitate fragmentation spontaneously or with the aid of externally applied forces and pressures and contribute to stabilisation. This includes also nanoparticles and combinations of polymer and nanoparticles (see e.g. WO 99/12640).

Suitable copolymers for use as fragmentation agents may have blocks comprising polyoxyalkylenes, polyvinylpyrrolidone, polyvinylacetate, polyvinylalcohol, polyesters, polyamides and/or polyalkenes. The block copolymer will comprise at least two blocks of polymer having different degrees of hydrophilicity. Certain proteins (such as casein) are also of amphiphilic character and may be used as fragmentation agents. Where an active agent is an amphiphilic protein, this may act as both the active agent and the fragmentation agent, or may be included in addition to another active agent and/or fragmentation agent.

Preferred examples of amphiphilic block copolymers are poloxamers, which comprise at least one block of polyoxyethylene and at least one block of polyoxypropylene. The most preferred fragmentation agents are poloxamer 407 (e.g. Pluronic® F127, BASF), poloxamer 188 (e.g. Pluronic® F68, BASF), poloxamer 124 (Pluronic® L44, BASF), and polysorbates 20, 60 and/or 80 (referred to herein as P20, P60 & P80 respectively - e.g. Tween® 80, ICI). Other suitable surfactants copolymers may be found in the "Handbook of Pharmaceutical Excipients" (2nd Ed., the American Pharmaceutical Association and The Pharmaceutical Press, Royal Pharmaceutical Society of Great Britain).



Other preferred fragmentation agents include polyethylene glycol lipid conjugates (e.g. PEGylated and mPEGylated phospholipids) as well as long chain alcohols and fatty acids.

In a preferred embodiment of the present invention, the compositions used, formed and/or formable in the method of the invention have a ternary amphiphilic component comprising at least one structure forming amphiphile (component a), at least one "structure swelling" agent (component b) and at least one dispersion stabilising "polymeric" agent (component c). Components b and c will also act as fragmentation agents. In this embodiment, at least 50% by weight of the total amphiphilic components (a+b+c) should be component a. Preferably this will be 60 to 95%, more preferably 70 to 90%. Correspondingly, component b should be less than 40% by weight of a+b+c, preferably 5 to 30% and more preferably 10 to 25%. Component c should be present at less than 20%, preferably 1 to 15% and more preferably 2 to 10% of the total weight of a+b+c.

Compositions comprising components a, b and c as described herein are highly suitable for use in the methods of the present invention in that they typically have a thermodynamically stable non-lamellar state in an appropriate aqueous medium. Furthermore, the compositions may have favourable *in vivo* properties such as low haemolytic effects and low acute toxicity, thereby providing enhanced utility as carriers for active agents such as drugs and/or nutrients (see active agents indicated herein).

In the ternary amphiphilic compositions, structure forming component "a" will preferably comprise at least

one lipid component such as glycolipids, diglycerides and/or phospholipids (e.g. phosphatidyl ethanolamines). Naturally occurring lipids are particularly suitable but non-naturally occurring variants such as ether lipids (having a head and tail group joined by an ether bond) are also suitable. Lipids such as diacyl phosphatidyl ethanolamines, and diacylglycerols and diacyl phosphatidyl cholines are highly suitable.

In this embodiment, component a may also contain up to 10% (e.g. 1-10% by weight of this component) of at least one charged amphiphile, particularly anionic lipids (such as acyl or diacyl phosphatidyl glycerols) or fatty acid (see above). Correspondingly, 90% or more, preferably at least 95% of the component a should preferably have no net charge under neutral and/or physiological conditions. Component a when formulated alone in excess water should form a reversed non-lamellar phase, preferably a reversed hexagonal phase.

The structure swelling component "b" is generally a component which swells the lattice of the amphiphilic structure allowing it to more readily be dispersed into particulate form. This component may also facilitate structural transition, for example, from reversed cubic to hexagonal phase structures. Structure swelling agents will generally have a relatively low molecular weight (e.g. less than 2000) and are preferably components such as oligoethylene oxide based surfactants. Preferred examples of oligoethylene oxide based surfactants are those having between 5 and 40 ethylene oxide units bonded to a non-polar "tail" group (e.g. as an ester to a fatty acid, such as any of those described herein, or as an ether to a corresponding fatty alcohol). Preferred examples include polyoxyethylene alkylethers,

polyoxyethylene sorbitan fatty acid esters (polysorbates), polyoxyethylene sterates, polyoxyethylene castor oil derivatives and polyoxyethylene lipid derivatives. Most preferred examples are TGMO-15 (Nikko), Solutol HS15 (BASF) and polysorbate 80.

The polymeric component "c" is, in general, a component which improves the stability of the dispersion, particularly as colloidal particles. Polymeric components generally have a relatively high molecular weight (e.g. greater than 2000) and will have at least one polymeric or copolymeric portion in their molecular structure. Preferred polymeric components include polyethylene oxide copolymers and lipids derivatised with polyethylene oxide, hydrophobically modified polysaccharides and amphiphilic proteins. Poloxamers as described herein are particularly suitable as the polymeric components as are PEG-substituted lipids such as PEG-glyceroldioleate, PEG-dioleoyl phosphatidyl ethanolamine (in particular DOPE-PEG2000 and DOPE PEG-5000) or PEG-dioleoyl phosphatidyl serine.

Preferred examples of polyethylene oxide copolymers are poloxamers, which comprise at least one block of polyoxyethylene and at least one block of polyoxypropylene. The most preferred of these agents are poloxamer 407 (e.g. Pluronic® F127, BASF), poloxamer 188 (e.g. Pluronic® F68, BASF), poloxamer 124 (Pluronic® L44, BASF).

The fragmentation agent(s) will be present at a level sufficient to bring about the fragmentation of the structuring agent and/or to stabilise the fragmented non-lamellar phase particles. Such fragmentation may be

spontaneous or may require physical fragmentation such as by shearing and/or ultrasonication. It is preferable that sufficient fragmentation agent is present that the non-lamellar particles are physically stable.

Preferred combinations of structure forming agents and fragmentation agents include combinations of GMO, GDO and/or DOPE with at least one of Poloxamer 407, Poloxamer 188, TGMO-15/DOPE-PEG(5000) and/or P80.

In one preferred embodiment, the compositions of and for use in the present invention consist of GMO and one or more fragmentation agents (such as poloxamers), with any optional active agent and/or aqueous component. In an alternative embodiment, since the invention is applicable to a wide range of compositions, the compositions may comprise other structuring agent(s) and/or fragmentation agent(s) (e.g. other lipids, surfactants and/or fatty acids), with GMO and/or poloxamer optionally also present, along with any optional components such as active agents, aqueous components etc.

Active agents suitable for inclusion in the methods and formulations of the present invention include human and veterinary drugs and vaccines, diagnostic agents, "alternative" active agents such as plant essential oils, extracts or aromas, cosmetic agents, nutrients, dietary supplements etc. Examples of suitable drugs include antibacterial agents such  $\beta$ -lactams or macrocyclic peptide antibiotics, anti fungal agents such as polyene macrolides (e.g. amphotericin B) or azole antifungals, anticancer and/or anti viral drugs such as nucleoside analogues, paclitaxel, and derivatives thereof, anti inflammatory, such as non-steroidal anti

inflammatory drugs, cardiovascular drugs including cholesterol lowering and blood-pressure lowering agents, analgesics, antidepressants including serotonin uptake inhibitors, vaccines and bone modulators. Diagnostic agents include radionuclide labelled compounds and contrast agents including X-ray, ultrasound and MRI contrast enhancing agents. Nutrients include vitamins, coenzymes, dietary supplements etc. The active agents for use in the present invention will generally not be poloxamers or acylglycerols.

Preferred active agents include human and veterinary drugs selected from the group consisting of peptides such as adrenocorticotrophic hormone (ACTH) and its fragments, angiotensin and its related peptides, antibodies and their fragments, antigens and their fragments, atrial natriuretic peptides, bioadhesive peptides, Bradykinins and their related peptides, peptide T and its related peptides calcitonins and their related peptides, cell surface receptor protein fragments, chemotactic peptides, cyclosporins, cytokines, Dynorphins and their related peptides, endorphins and P-lidotropin fragments, enkephalin and their related proteins, enzyme inhibitors, fibronectin fragments and their related peptides, gastrointestinal peptides, growth hormone releasing peptides, immunostimulating peptides, insulins and insulin-like growth factors, interleukins, lutenizing hormone releasing hormones (LHRH) and their related peptides, melanocyte stimulating hormones and their related peptides, nuclear localization signal related peptides, neurotensins and their related peptides, neurotransmitter peptides, opioid peptides, oxytocins, vasopressins and their related peptides, parathyroid hormone and its fragments, protein kinases and their

related peptides, somatostatins and their related peptides, substance P and its related peptides, transforming growth factors (TGF) and their related peptides, tumour necrosis factor fragments, toxins and toxoids and functional peptides such as anticancer peptides including angiostatins, antihypertension peptides, anti-blood clotting peptides, and antimicrobial peptides; selected from the group consisting of proteins such as immunoglobulins, angiogenins, bone morphogenic proteins, chemokines, colony stimulating factors (CSF), cytokines, growth factors, interferons, interleukins, leptins, leukemia inhibitory factors, stem cell factors, transforming growth factors and tumor necrosis factors; selected from the group consisting of antivirals, steroidal antiinflammatory drugs (SAID), non-steroidal anti-inflammatory drugs (NSAID), antibiotic, antifungals, antivirals, vitamins, hormones, retinoic acid, prostaglandins, prostacyclins, anticancer drugs, antimetabolic drugs, mitotics, cholinergics, adrenergic antagonists, anticonvulsants, antianxiety agents, tranquilizers, antidepressants, anesthetics, analgesics, anabolic steroids, estrogens, progesterones, glycosaminoglycans, polynucleotides, immunosuppressants and immunostimulants, cardiovascular drugs including lipid lowering agents and blood-pressure lowering agents, bone modulators; vaccines, vaccine adjuvants, immunoglobulins and antisera; diagnostic agents; cosmetic agents, sunscreens and self-tanning agents; nutrients; dietary supplements; herbicides, pesticides, and repellents. Further examples of active agents can be found for instance in Martindale, The Extra Pharmacopoeia.

In the methods of the invention, particles comprising a

structuring agent are formed prior to one or more heat treatment cycles. This pre-formulation will typically be in the form of a dispersion and may be prepared by established methods, such as those indicated in the present Examples and in US 5,531,925, WO 02/02716, WO 02/068561, WO 02/066014 and WO 02/068562. The disclosures of these and all references cited herein are hereby incorporated herein by reference. Such methods include adding an amphiphile/water liquid crystal phase to an aqueous solution of fragmentation agent and optionally a lipid (such as PC) and either allowing natural fragmentation of the mixture or accelerating the process with, for example, mechanical agitation, vortexing, roto-stator mixing, high-pressure homogenization, microfluidisation and/or ultrasound.

Since the method of the present invention can be used to convert lamellar particles to non-lamellar form, it is not essential that the pre-preparation particles be non-lamellar. Thus, any of the well-known methods for formulating lipids into vesicles may be used to create pre-formulations for use in heat treatment methods of the present invention. Suitable methods include, for example, sonication or extrusion (such as through a polycarbonate membrane). Such methods will be well known to those of skill in the appropriate art.

The pre-formulations should, preferably, be formulated such that the thermodynamically stable state at ambient temperature is non-lamellar. Alternatively, the non-lamellar form may be a thermodynamically meta-stable state. Where present, the active agent may be incorporated into the particles prior to and/or after heat cycling. Where more than one heat cycle is used, the active agent may be incorporated between cycles.

Where the active agent is heat sensitive (e.g. peptide or protein) the active agent is preferably incorporated after heat cycling is complete.

The present inventors have further surprisingly established that the loading of active agent into amphiphilic compositions may be enhanced by one or more cycles of heat treatment as describe herein. A method of loading an active agent by heat cycling thus forms a further aspect of the invention, as do the products formed thereby.

In this aspect of the invention, the active agent must be stable to the conditions of the heat cycling. The active agents should thus be chemically stable in aqueous environments under the conditions of heat and duration described herein. The suitability of any active agent for this aspect of the invention may be established by routine testing under the heat-cycling conditions described herein. Preferred active agents in this respect include steroids such as progesterone, adrenocortical hormones, gonadal hormones, cardiac aglycones, bile acids and sterols. Progesterone is particularly preferred.

Upon heat treatment by the method of the present invention in the presence of heat-tolerant active agents it has been noted that a loading level of several times that achieved by loading at room temperature can be generated. That is, at least twice the quantity of active agent can be incorporated into amphiphilic compositions described herein by heat treatment than can be incorporated by equilibration at room temperature. This ratio can be 3, 4 or 5 times and may be up to 6 or more with certain active agents. Furthermore, whether



or not the active agent solubilised by this method is in a meta-stable state or in a truly stable dispersion or solution, the compositions loaded with up to 16 times the room temperature equilibrium level with active agent (especially steroid) have been observed to be stable to storage for at least two weeks. This offers considerable and obvious advantages in being able to provide high drug loads at while administering a small volume and low level of carrier to the subject.

Prior to, and/or after heat-cycling, the particles may be concentrated (e.g. by ultrafiltration or dialysis) and/or dried, for example by spray drying, fluid bed drying or freeze drying. In the case of dried particles, the drying process may be followed by particle size enlargement through single or repeated agglomeration and granulation steps. The concentrated, dried and/or agglomerated particle formulations thus formed may be used as such or hydrated and/or dispersed to yield non-lamellar particle dispersions suitable for use in the delivery of active substances, especially *in vivo*. Such concentrated, dried and/or agglomerated particle formulations and the dispersions resulting from their re-suspension/hydration form a further aspect of the present invention.

In a preferred aspect of the invention, an initial pre-formulation, prior to heat treatment, is formed in which the particles will preferably be small colloidal sized particles, for example in the range 0.02 to 0.2  $\mu\text{m}$ . Preferably the mean particle size for the small colloidal particles will be 0.05 to 0.15  $\mu\text{m}$  in this pre-formulation. This small particle size can be achieved by known methods, as discussed above, but such methods result in a relatively large proportion of lamellar

phase particles. At least one heat treatment cycle may then be applied to the pre-formulation so as to both convert the bulk of the lamellar particles to non-lamellar form and preferably also to narrow the particle size distribution. In this process, the mean particle size typically increases but the distribution of particle sizes is reduced. In this method, at least 50% (by particle number) of the lamellar particles should be converted to non-lamellar form. Preferably, at least 75% of the lamellar particles will be converted, more preferably at least 85% (e.g. 90%). It is most preferable that the treatment method convert 99% or more of the lamellar particles to a non-lamellar form.

The presence of particles in non-lamellar form will preferably be assessed from a set of cryo-transmission electron microscopy particle images. Such images will typically show at least 30 particles, preferably they will show a sample of more than 50 and most preferably more than 100 particles. Example images are shown in Figures 3 and 4. The presence of non-lamellar particles may also be assessed by X-ray scattering experiments.

After treatment with one or more heating and cooling cycles, the final particles should be in the colloidal size range. These will typically have an average (mode or preferably mean) particle size in the range 0.2 to 0.8  $\mu\text{m}$ , more preferably 0.3 to 0.6  $\mu\text{m}$ . It is particularly important that preparations for use in intravenous administration should not contain particles in the non-colloidal range (e.g.  $>5 \mu\text{m}$ , especially  $>10 \mu\text{m}$ , as indicated herein). This may be achieved by using the method of the invention, beginning with small colloidal particles as described above. Alternatively, or in addition, the particles, preferably after heat

cycling, may be filtered in order to remove non-colloidal particles.

The samples of particles formed by the present invention have a greater proportion of non-lamellar particles, a narrower distribution of (especially colloidal) particle sizes and/or greater particle size stability than has been achieved by previous methods. Such particles therefore form a further aspect of the invention, as do dispersions thereof. The particles formed or formable by the method of the invention may be used in the production of nutritional, dietary, cosmetic, diagnostic veterinary or pharmaceutical compositions by known methods using well known carriers, excipients and other ingredients. In the case of pharmaceutical compositions, the particles will be formulated with at least one pharmaceutically acceptable carrier or excipient and may be formed into tablets, capsules and so forth. The particles may also be formulated as a pre-prepared dispersion in an acceptable liquid, such as water, or dried (e.g. spray dried or freeze dried) and sealed in sterile containers for re-suspension prior to administration.

In the formulations formed or formable by the method of the present invention, at least 75% (by volume) of the particles will preferably be non-lamellar. More preferably, at least 85% and most preferably at least 95% of particles in the formulation will be non-lamellar, as measured by volume. This measurement may be made by, for example, laser diffraction, preferably combined with cryo-TEM or SAXS (to confirm the non-lamellar particle structure) following laser diffraction.

In a further aspect, the present invention thus provides a formulation of (preferably colloidal) particles comprising at least one structuring agent, wherein at least 75% of the particles, preferably at least 85% and most preferably at least 95% of particles (as measured by volume) in the formulation are non-lamellar (e.g. as judged by laser diffraction combined with cryo-TEM or SAXS). In colloidal formulations, the average (mode or preferably mean) particle size will typically be in the range 0.3 to 0.6  $\mu\text{m}$ , for example as determined by light scattering methods (e.g. laser diffraction). Preferably, no more than 1% of particles will be outside the range 0.05 to 1.5  $\mu\text{m}$ , more preferably, not more than 0.1% will be outside this range, and most preferably no detectable (by laser diffraction) proportion of particles will be outside this range. In non-colloidal formulations the average particle size will typically be in the range 10 to 200  $\mu\text{m}$ .

Furthermore, the colloidal formulations prepared by the method of the present invention are physically stable to storage over extended periods at ambient temperature. Such formulations should be essentially stable both in terms of phase behaviour and particle size for periods of at least 10 days at room temperature, more typically at least 3 months, preferably at least 6 months and more preferably 12 months or more. In contrast, even dispersions of similar average particle size which have not undergone treatment in the method of the invention may have particle sizes stable for less than 10 days at room temperature.

A particle size distribution can be considered essentially stable to storage if the average (mode or preferably mean) particle size increases no more than

two fold during the storage period. Preferably, the average size should increase no more than 50% and more preferably no more than 20% during the storage period. Similarly, the width of the distribution at half-height should preferably increase by no more than 50%, more preferably by no more than 20% and most preferably no more than 10% during the storage period. Where a distribution is monomodal, it should preferably remain monomodal during the storage period. In a highly preferred embodiment, particle size distribution of the compositions formed or formable by the methods of the invention alter in average particle size and particle size distribution width at half-height by no more than 10% and remain monomodal on storage for the periods indicated above.

It is particularly important in the case of colloidal dispersions for use in intravenous or intra-arterial administration that the particle size distribution be stable to storage. A composition containing even a relatively small component of non-colloidal particles may cause embolism, or at least unpredictable rates of release upon administration directly to the blood stream. Similarly, the controlled release of an active agent may be dependent upon a reliable particle size distribution in a composition for administration by any other route. Pharmaceutical, diagnostic and veterinary products are also desirably stable to storage for several months or the cost and availability of the product is significantly adversely affected. The method of the invention thus significantly improves the prospect of an active agent formulated in a dispersion of non-lamellar particles forming a safe and available product.

The invention will be illustrated below by the following non-limiting examples and the accompanying figures in which:

Figure 1 shows the particle size distribution of a sample of GMO with 12% poloxamer before and after heat treatment;

Figure 2 shows the particle size distribution of a sample of GMO with 8% poloxamer before and after heat treatment;

Figure 3 shows a cryo-transmission electron micrograph of a sample without heat treatment;

Figure 4 shows a cryo-transmission electron micrograph of a sample after heat treatment;

Figure 5 shows the particle size of a sample before and after heat treatment for various periods;

Figure 6 shows the particle size distribution of samples before and after heating to 80°C and 121°C;

Figure 7 shows the particle size distribution of a sample before and after heat treatment at various temperatures;

Figure 8 shows the effect of heat treatment at varying poloxamer concentrations;

Figure 9 shows the effect of heat treatment of compositions containing two different poloxamer types;

Figure 10 shows small angle X-ray scattering (SAXS) patterns for two samples, containing two different

poloxamer types, after heat treatment;

Figure 11 shows the effect of storage on the SAXS for samples with and without heat treatment (curves after 20 days and 6 months are not on the same scale);

Figure 12 shows the comparative effect of heat treatment on the particle size distribution of a liposomal sample;

Figure 13 shows the comparative effect of heat treatment on the SAX pattern of a liposomal sample;

Figure 14 shows the particle size distribution of a composition of GMO, poloxamer and oleic acid before and after heat cycling;

Figure 15 shows the particle size distribution of a further composition of GMO, poloxamer and oleic acid before and after heat cycling;

Figure 16 shows the particle size distribution of a composition of GMO, poloxamer and oleic acid with and without heat cycling after 11 days' storage;

Figure 17 shows the effect of Heat Treatment on the particle size distribution of a DOPE/TGMO-15/DOPE-PEG(5000) ternary composition;

Figure 18 shows the effect of Heat Treatment on the particle size distribution of a DOPE/TGMO-15/DOPE-PEG(5000) ternary composition in 3 mM NaCl;

Figure 19 shows the effect of Heat Treatment on the particle size distribution of a DOPE/P80/Pluronic F127 ternary composition;

Figure 20 shows the effect of Heat Treatment on the particle size distribution of a DOPE:DOPG/TGMO-15/DOPE-PEG(5000) four-component composition;

Figure 21 shows the effect of Heat Treatment on the particle size distribution of a DOPE:DOPG/P80/DOPE-PEG(5000) four-component composition; and

Figure 22 shows a cryo-TEM image of a DOPE/TGMO-15/DOPE-PPEG(5000) composition, showing the non-lamellar structure of the particles.

Figure 23a shows the particle size distribution of a GMO/F127 dispersion heat treated at different concentrations.

Figure 23b shows the average particle sizes GMO/F127 dispersions heat treated at different concentrations.

Figure 24a shows the particle size distribution of a GMO/OA/F127 dispersion heat treated at different concentrations.

Figure 24b shows the average particle sizes GMO/OA/F127 dispersions heat treated at different concentrations.

#### **Examples:**

The materials used in the following examples were as follows:

GMOphic-80 (Eastman Kodak)  
Myverol 18-99 (Eastman Kodak),  
Rylo MG 19 (Danisco)  
Dimodan DGMO (Danisco)  
poloxamer 407 (Pluronic® F127, BASF)



poloxamer 188 (Pluronic® F68, BASF)

polysorbate 80 (Tween® 80, ICI)

13

Approximate compositions of the batches used are shown below in Table 1

Table 1

Trade Name	Composition %				
	Mono-glyceride	Di-glyceride	C18:1	Saturated	Higher unsaturated
GMOrphic-80 Lot No. D0116-1293 Batch No. 1997014177	≥ 94.0	?	≥ 75	≤ 10.0	≤ 15.0
Myverol 18-99 Batch No. 1996013291	≥ 90	?	60-65	5-7	ca. 30
Dimodan DGMO, NF Lot No. 70201	98	1.5	80	7.1	11.4
Rylo MG 19, NF Lot No. 2119/53	98.7	1.0	90.3	4.7	6.6

In the following examples the abbreviations used are:

LD	Laser Diffraction particle size measurement
LM	Light microscopy
LS	Light Scattering particle size measurement
P407	poloxamer 407
P188	poloxamer 188
PCS	Photon Correlation Spectroscopy
PIDS	Polarisation Intensity Differential Scattering

PSD            Particle Size Distribution  
SAXS           Small Angle X-ray Scattering  
TEM            Transmission Electron Microscopy

**Example 1 - forming a pre-formulation**

A coarse dispersion of largely cubic particles was formed by melting GMorphic-80 (1.84 g) with poloxamer 407 (0.16 g) and adding 1.25 g of the molten mixture dropwise to deionised water (23.75 g) (containing 0.01% thiomersal as preservative) under stirring at room temperature. The resulting coarse dispersion was allowed to equilibrate for at least about 1 day before homogenisation in a microfluidizer at high pressure (350 bar) for 15 min at 40°C.

All of the dispersions used in the following Examples were prepared according to this standard procedure (Microfluidizer, 40°C, 350 bar, 15 min) with variations in composition (poloxamer/monoolein content and poloxamer/monoolein type) as specified. Where no specific poloxamer is indicated, poloxamer 407 was used.

Typical examples of the compositions prepared by this method are:

"8% P407":	Monoolein:	1.15 g	4.6 %
	Poloxamer 407:	0.10 g	0.4 %
	Water:	23.75 g	95.0 %
 "12% P407":	 Monoolein:	 1.10 g	 4.4 %
	Poloxamer 407:	0.15 g	0.6 %
	Water:	23.75 g	95.0 %

"8.75% P188":	Monoolein:	1.1406 g	4.6 %
	Poloxamer 188:	0.1094 g	0.4 %
	Water:	23.75 g	95.0 %

**Example 2- Phase analysis of dispersion without heat treatment**

A dispersion was prepared with Rylo MG19 and 12% poloxamer 407 (referring to the sum of monoolein and poloxamer). The resulting system was a slightly translucent homogenous dispersion, had particle sizes mainly around 0.09  $\mu\text{m}$  (plus small amounts of particles around 0.3  $\mu\text{m}$ ) and displayed only extremely weak, unassignable SAXS reflections. By Cryo-TEM, mainly small, lamellar particles were observed with a small proportion of non-lamellar particles (see Fig. 3). The smallest particles were all lamellar, but of the larger particles some displayed internal structure (possibly cubic) and some did not.

**Example 3 - Effect of Heat Treatment**

A freshly prepared dispersion containing Rylo MG19 as monoolein and 12% poloxamer P407 was divided into two fractions. One fraction was autoclaved (121°C, 15 min (plus an equilibration time of 5 min, noted in the following as "(+5 min)", if applied)) and compared to the non-autoclaved fraction. The non-autoclaved fraction was comparable to Example 2, i.e. an opaque homogenous dispersion with particle sizes mainly around 0.09  $\mu\text{m}$  (plus a small number of particles around 0.3  $\mu\text{m}$ ) (Fig. 1) and no SAXS reflections. The heat-treated fraction was milky-white (non-transparent) and LS+PIDS analysis (Fig. 1) gave a narrow monomodal particle size

distribution (around  $0.27\ \mu\text{m}$ , without a smaller particle size fraction).

Clear SAXS reflections could be observed for the heat treated sample indicating the presence of cubic P phase. This indicates that the small non-cubic particles in the  $0.1\ \mu\text{m}$  range form larger, cubic particles in the medium sized range (ca.  $0.3\ \mu\text{m}$ ) during the autoclaving process.

Cryo-TEM was performed on autoclaved fraction and compared to Example 2. Only a few small non-cubic particles could be detected after heat treatment. Most of the detectable particles are cubic and in the range of ca. 200-300 nm (Fig. 4). This result is in agreement with the SAXS- and LD+PIDS results of these dispersions: no cubic reflections and a particle size maximum at ca.  $0.09\ \mu\text{m}$  in the case of the non- autoclaved dispersion, reflections according to cubic phase type P and a particle size maximum at ca.  $0.27\ \mu\text{m}$  in the case of the autoclaved dispersion.

Similar behaviour was observed for a dispersion containing 8% poloxamer. In this case, the non-autoclaved dispersion is already milky white and displays SAXS reflections (cubic P); the main particle size is in the range of  $0.5\ \mu\text{m}$  besides lesser amounts in the range of  $0.1\ \mu\text{m}$  and  $1.5\ \mu\text{m}$ . Like in the dispersion with 12% poloxamer, aggregates become observable by LM after autoclaving, the small particles vanished and the amount of particles in the medium range increased in LD+PIDS analysis (Fig. 2).

#### **Example 4 - Effect of Filtration**

Four dispersions were prepared with 12% poloxamer, two of them with GMorphic-80, the others with Rylo MG 19.

1. In the case of GMorphic, high pressure homogenization also led to opaque dispersions, similar to previous experiments using Rylo. Fractions of these dispersions were filtered through a 0.45  $\mu\text{m}$  membrane filter (filtration can easily be done by hand using a syringe) without any change in macroscopic appearance. The maximum particle size detected by LM was slightly reduced. LD+PIDS give the same results for the filtered and the unfiltered dispersions, and SAXS reflections cannot be detected in any dispersion.

Samples of the filtered and unfiltered fractions were autoclaved (121°C, 15(+5) minutes). In the filtered and the unfiltered cases, milky white dispersions were obtained with macroscopically visible particles. As in the case of the non-autoclaved dispersions, no clear differences can be detected between the filtered and the not filtered dispersions after autoclaving.

#### **Example 5 - Effect of Heat Treatment Time**

A dispersion containing Myverol 18-99 as monoolein and 12% poloxamer was divided into four fractions. Three fractions were autoclaved at 121°C for different periods of time (5 min, 15 min (+5 min), 30 min (+5 min)) and compared to the fourth, non-autoclaved fraction. During autoclaving, the opaque dispersion turned to milky white and visible aggregates appeared. In SAXS, the autoclaved dispersions display diffraction patterns according to the cubic P phase. In the case of the non-autoclaved dispersion no reflections can be

detected, not even by the use of synchrotron radiation. LD+PIDS give monomodal particle size distributions for all dispersions, with a mode at ca. 360 to 390 nm for the autoclaved dispersions and a mode at ca. 88 nm for the non-autoclaved dispersion (Fig. 5). There are no detectable differences by any applied method between the autoclaved dispersions. Autoclaving time has thus no significant effect on the properties of the resulting dispersions in the range from 5 to 30(+5) minutes at this temperature.

#### **Example 6 - Influence of Temperature**

A dispersion containing Dimodan DGMO as monoolein was divided into four fractions. Two fractions were heated to 80°C for different periods of time (20 min and 60 min), one fraction was autoclaved (121°C / 15(+5) min) and one fraction was left unchanged. Autoclaving changed the dispersion from opaque to milky white, heating to 80°C led to nearly milky white dispersions (very slightly opaque) in both cases. The LD+PIDS results indicate that the particle size distributions slightly shifted to larger particles during heating to 80°C (Fig. 6); there is no difference between the two 80°C-dispersions (20 min and 60 min). A second dispersion with Dimodan from a different container (container 2, same batch) showed nearly the same particle size distribution in the unheated case (the small peak at about 0.35  $\mu\text{m}$  in the dispersion from container 1 is the averaging result of a bigger peak in one measurement run of five, the other runs showed the same particle size distribution as the dispersion from container 2), and increased particle sizes after autoclaving. Compared to autoclaving at 121°C, heating

the dispersions to 80°C led to minor changes in particle size distribution (by means of LD+PIDS). In this case it therefore appears that temperatures higher than 80°C are necessary to form the large proportions of non-lamellar particles.

#### **Example 7 - Influence of Monoolein Type**

Autoclaving (121°C/15 min (+5 min)) dispersions containing 12% Poloxamer with GMOrphic-80 or Myverol 18-99, respectively, as monoolein leads to particle size distributions in a similar range. Also the particle size distributions of the corresponding non-autoclaved dispersions are comparable with each other. Even though the use of Dimodan DGMO leads to similar non-autoclaved dispersions, autoclaving of these dispersions leads to different, smaller particle sizes.

#### **Example 8 - SAXS Experiments**

SAXS experiments on the dispersions of the previous examples were performed. Generally the unheated/non-autoclaved dispersions containing 12% poloxamer did not display X-ray reflections and only in a few cases were extremely weak, unassignable reflections observed. The heated dispersions (80°C: 20 min and 60 min) display very weak reflections due to cubic P phase. In the case of the autoclaved dispersions (121°C, 5 min, 15 min and 30 min), weak reflections for the Dimodan dispersions and clear reflections for the GMOrphic and Myverol dispersions were obtained, all pointing to cubic P phase.

#### **Example 9 - Further influence of temperature**

For further investigation of the influence of the temperature applied during the heating process after homogenization, a dispersion containing GMOrphic-80 as monoolein (MO) and 12% P407 (based on the sum of MO and P407) was prepared according to the standard procedure (Example 1). Fractions of the homogenized dispersion were heated to 90°C, 100°C, 110°C and 121°C, respectively, for 20 minutes, and compared to a non-heated fraction (Fig. 7).

With increasing temperature, the mean particle size increases and the PSD becomes narrower. There is only a weak difference in the results obtained after heating to 110°C and 121°C, which lead to the assumption that heating to higher temperatures than 121°C will probably not result in a narrower PSD. After heating to 90°C, ca. 50% of the particles were larger than 0.2  $\mu\text{m}$  and clear SAXS reflections (cubic P) were observed, in contrast to the result after heating to 80°C (see Example 6), where 90% of the particles remained smaller than 0.2  $\mu\text{m}$  and only very weak SAXS reflections (probably cubic P) were detected. The non-heated fraction and the 121°C/15(+5)min fraction give the usual results obtained earlier. It was concluded that in this case the minimum temperature necessary for PSD narrowing and conversion to non-lamellar particles was in the region of 90°C.

#### **Example 10 - Influence of poloxamer concentration**

For testing the influence of poloxamer 407



concentrations above 12% on the effect of autoclaving, dispersions containing 12%, 14% and 16% P407 were prepared according to the standard procedure. Fractions of these dispersions were autoclaved (121°C/15(+5) min) and compared to the non-autoclaved fractions (Fig. 8).

In both cases (autoclaved and non-autoclaved), no difference can be detected between the 12% dispersion and the dispersions with higher concentrations of P407 by visual inspection, light microscopy and SAXS. All of the non-autoclaved dispersions were opaque and displayed no SAXS reflections. After autoclaving, they turned into milky-white dispersions with large aggregates, and displayed clear SAXS reflections according to cubic P with nearly the same lattice constants.

The LD+PIDS results demonstrate that increasing the P407-concentration from 12% to 14% slightly reduces the fraction of particles in the 0.2 - 0.5  $\mu\text{m}$  range in the non-autoclaved dispersions. Further increasing of the P407-concentration had no effect on the LD+PIDS result. The mode value and the width of the PSD for the autoclaved dispersion are slightly different for the different P407-concentrations despite the fact that they were autoclaved together by the same autoclaving process. No correlation was seen between P407-concentration and PSD mode value or PSD width.

#### **Example 11 Influence of poloxamer type**

To test the influence of the poloxamer type on the properties of the resulting dispersions, poloxamer 188 (P188) was used instead of P407. A dispersion was

prepared according to the standard procedure (Example 1) with P188-concentrations of 8.75 weight-% (based on the sum of MO and P188). This concentration of P188 is equivalent (when calculated as mol-%) to the usual concentrations of P407 (12 weight-%). Fractions of this dispersion were autoclaved (121°C/15(+5) min). The dispersion was compared to a non-autoclaved and autoclaved dispersion with 12% P407 (Fig. 9).

The homogenized (non-autoclaved) dispersion with 8.75% P188 was homogenous and nearly milky white. SAXS reflections were not detected and LD+PIDS displayed a PSD with a slightly higher amount of particles in the size range of ca. 0.2 - 0.5  $\mu\text{m}$  compared to the non-autoclaved dispersion with 12% P407. The autoclaved fraction of this dispersion was milky-white with large aggregates and displayed clear cubic P SAXS reflections, like the autoclaved dispersion with 12% P407 do (see Fig. 10). A very weak peak in the autoclaved 8.75% P188-dispersion between the first and the second cubic P reflection is in the region where the first reflection of a cubic D phase would be expected and may indicate a small amount of cubic D phase in this dispersion. The lattice constant (of the cubic P phase) is smaller in the case of the dispersion containing 8.75% P188 (ca. 13.5 nm) compared to that of the dispersion containing 12% P407 (ca. 14.4 nm). The PSD (LD+PIDS) was nearly the same as that of the autoclaved dispersion with 12% P407.

#### **Example 12 - Influence of long-term storage**

To answer the question, whether the lamellar particles

of a non-autoclaved dispersion with 12% P407 transform into non-lamellar particles with time without heat treatment, or whether the cubic particles produced by autoclaving a dispersion with 12% P407 transform back to lamellar particles with time, dispersions (12% P407, non-autoclaved and autoclaved) were investigated by SAXS after a storage period of 6 months (at 23°C, called "stored dispersions") after preparation. The results were compared to the SAXS results of these dispersions obtained 20 days (stored at 23°C, called "unstored dispersions") after preparation (Fig. 11).

In the case of the autoclaved dispersion, the diffractograms of both dispersions (stored and unstored) display clear cubic P reflections, the lattice constants are the same (14.4 nm). No additional reflections occur after storage (a phase change to cubic D or hexagonal with time, possibly caused by, e.g., hydrolysis of the monoolein, would result in additional reflections).

In the case of the non-autoclaved dispersion, there are no reflections detectable in the diffractograms of either system. The result, that no detectable cubic P phase is formed in non-autoclaved dispersions (with 12% P407) by time, was confirmed by examination of a second, independent batch (after 7 days and 6 months after preparation).

### **Example 13 - Influence of Drug Loading**

Five different drugs (ubidecarenone, tocopherol acetate, miconazole, betamethasone-17-valerate, chloramphenicol) were incorporated in a monoolein (GMOrphic) dispersion stabilized with 12 % P407 (which forms a lamellar

vesicular dispersion in the unloaded state) by adding the drugs to the MO/P407 melt at 60°C (or 80°C for concentrations of 5 % drug) in the "standard" preparation process (see Example 1). All drug concentrations are indicated relative to the sum of monoglyceride and poloxamer. A drug-free dispersion was prepared and investigated as a reference.

All dispersions were autoclaved at 121°C for 15 + 5 min. (allowing for temperature equilibration in the autoclave) and their properties were compared to that of the corresponding non-autoclaved dispersions.

Ubidecarenone and tocopherol acetate at a concentration of 0.3 % did not influence the properties of the resulting dispersions. The transformation of lamellar vesicular into non-lamellar (cubic) particles upon autoclaving proceeded as in the drug-free dispersions. Higher concentrations of these drugs were not investigated.

Dispersions with 0.3, 1 or 2 % betamethasone-17-valerate also had no influence on the general behaviour of the dispersions. A drug load of 5 % could not be realized with this substance since it could not be dissolved in the MO/P407 melt at this concentration.

Chloramphenicol at 0.3, 1 and 2 % as well as miconazole at 0.3 and 1 % had no influence on the non-autoclaved dispersions. In autoclaved dispersions, however, a concentration dependent influence could be observed: In chloramphenicol-loaded dispersions the particle sizes increased distinctly with drug concentration and a

slight increase in lattice constant of the cubic phase was observed. 5 % chloramphenicol could be incorporated in the MO-dispersion but homogenization as well as autoclaving led to dispersions with distinctly larger particle sizes in comparison to the drug free dispersions and those with up to 2 % drug.

For the 5 % chloramphenicol sample, cubic reflections could be observed in small angle X-ray scattering even before autoclaving. The lattice constant of the cubic phase in the (non-autoclaved and autoclaved) 5 % sample is much larger than in the autoclaved drug-free dispersion or (autoclaved) dispersions with up to 2 % chloramphenicol.

Miconazole could be incorporated at concentrations of 0.3 and 1%. Homogenization of these dispersions led to opaque dispersions without cubic X-ray reflections in all cases. Autoclaving led to slightly larger (0.3 %) and distinctly larger (1 %) particle sizes compared to the dispersions without drug incorporation. The lattice constant decreased slightly.

#### **Example 14 Autoclaving of a liposomal dispersion**

In order to assess whether a standard liposomal dispersion having a lamellar equilibrium form at room temperature would convert to non-lamellar particles under heating, the method was tested on a liposomal dispersion.

To prepare the liposomal dispersion, 5 % egg

phospholipid (Lipoid E80) was stirred in water (containing 0.01 % thiomersal as a preservative) for one day at room temperature and subsequently extruded (Avestin Emulsiflex-C5) 10 times through a 100 nm polycarbonate filter. The resulting dispersion had a PCS z-average diameter of 117 nm with a polydispersity index of 0.08.

One fraction of the dispersion was autoclaved for 15 + 5 min. at 121°C and the properties of the resulting dispersion were compared to that of the non-autoclaved one. Except for slight differences in optical appearance no differences between the two samples were observed with the following methods:

Both samples are visually homogenous without macroscopically detectable particles and of yellowish-opaque appearance with a slightly more intense colour after autoclaving. The particle size measurement with laser diffraction + PIDS yields a monomodal particle size distribution with a mode at 106 nm for both dispersions (Fig. 12). Both dispersions display diffuse small angle X-ray scattering without detectable sharp reflections, indicating the presence of only lamellar particles (Fig. 13).

#### **Example 15 - Compositions including fatty acids**

Pre-formulations were prepared using the standard method indicated in Example 1 but including the fatty acid oleic acid in the formulation.

a) An initial melt was prepared containing GMO (85.5%), oleic acid (4.5%) and Lutrol F127 (10%). To 9g of water under mechanical stirring was added 1g of the

molten mixture to form a coarse dispersion. This was examined for phase structure and comprised principally cubic liquid crystalline phase particles of average diameter greater than 100  $\mu\text{m}$ . The particle size distribution of the coarse dispersion is shown as "a" in Figures 14 and 15.

b) The coarse dispersion was divided into two portions. The first portion was homogenised with the microfluidiser at 345 bar and the second portion homogenised with the microfluidiser at 172 bar. The particle size distributions of the two resulting dispersions are indicated as "b" in Figures 14 and 15 respectively. It can be seen that higher pressure homogenisation gave a mono-modal particle size distribution of relatively small particles and lower pressure homogenisation gave larger particles with a bimodal distribution.

c) The two dispersions prepared in part ii were each heated to 120°C for 20 minutes and the particle phase and size distributions reexamined. The results indicated largely cubic liquid crystal particles with size distributions as indicated as "c" in Figures 14 and 15. The maximum particle sizes remained essentially static but the width of the distribution decreased notably in the case of the low pressure homogenisation (Figure 15) and remarkably in the case of the high pressure homogenisation (Figure 14).

After heat cycling, both compositions were of colloidal particles and had sharp, narrow particle size distributions. Such dispersions are thus highly suitable for both intravenous administration and controlled release applications by any suitable

administration route.

#### **Example 16 - Storage stability**

The dispersions prepared in Example 15 parts (b) (before heat treatment) and (c) (after heat treatment) resulting from high pressure homogenisation were stored for 11 days at room temperature. After storage the particle size distribution was again examined and is indicated in Figure 16.

The effects of storage on particle size may be seen by comparing Figures 14 and 16. It can be seen that the non-heat treated sample ("a" in Figure 16) increased somewhat in mode particle size and showed a bimodal distribution after storage, with a secondary portion of particles above 1  $\mu\text{m}$  in diameter. In contrast, the heat treated sample ("b" in Figure 16) shows a distribution of particles indistinguishable from that prior to storage ("c" in Figure 14). Thus, the heat treatment cycle not only narrowed the particle size distribution of the sample but also rendered the sample more stable to storage.

#### **Example 17 - Ternary non-lamellar particles**

##### *17.1 - Preparation of a non-lamellar dispersion*

A coarse dispersion of cubic and lamellar particles was formed by mixing DOPE (Avanti Polar Lipids U.S.A., 0.75 g), TGMO-15 (Nikko Japan, 0.2 g) and DOPE-PEG(5000) (Avanti Polar Lipids U.S.A., 0.05 g) in deionized water



(49.0 g). The mixture was freeze-thawed 3 times including freezing at  $-85^{\circ}\text{C}$  and thawing under vigorous stirring and shaking at ambient temperature. The resulting coarse dispersion was thereafter homogenised in a microfluidizer at high pressure (350 bar) for 10 min (8 passes) at ambient temperature.

The particle size was measured using laser diffraction (Coulter LS230) after homogenisation.

The homogenised sample was a turbid to bluish colloidal dispersion with particle sizes between 0.05 and 1 micron consisting of cubic phase particles and vesicles.

#### 17.2 - Heat Treatment

A cycle of heat treatment was carried out on the dispersion prepared in Example 17.1.

A sample of the dispersion generated in Example 17.1 (25 mL) was autoclaved ( $120^{\circ}\text{C}$ , 20 min) and cooled to room temperature. When examined by cryo-TEM, a still greater proportion of the particles in the dispersion showed non-lamellar character. The particle size distribution was also somewhat narrowed in comparison with the dispersion prior to heat treatment and shows better storage stability.

#### Components:

- a DOPE
- b TGMO-15 (glycerylmonooleate-PEG(15), Nikko, Japan)
- c DOPE-PEG(5000)

Formulation	a:b:c	abc wt%	aqueous medium	aq wt%	Phase before	Temp °C	Time min	Phase after
i	75:20:5	2	water	98	lam/cubic*	120	20	cubic**

\*lam/cubic = mixed cubic and lamellar particles

\*\*cubic = predominantly cubic particles

The particle size distribution of the composition before and after heat treatment is shown in Figure 17.

#### Example 18 - Effect of controlled ionic strength.

The effect of ionic strength during heat treatment was considered by preparing a second composition by the methods of Examples 17.1 and 17.2. The same components a, b and c were used but at a different weight ratio and 3 mM NaCl was used in place of water for the heat treatment step.

Formulation	a:b:c	abc wt%	aqueous medium	aq wt%	Phase before	Temp °C	Time min	Phase after
ii	77.2:20.3:2.5	2	3mM NaCl	98	lam/cubic*	120	20	cubic*

The particle size distribution before and after heat treatment is indicated in Figure 18. In this case, the effect of the higher ionic strength is seen to cause the mode particle size to increase around four-fold while maintaining a narrow particle size distribution. The particles were also converted to essentially 100% cubic phase particles.

**Example 19 - Further ternary composition.**

A dispersion of DOPE (0.80 g), Polysorbate 80 (0.134 g) and Pluronic® F127 (0.10 g) in deionized water (49.0 g) was prepared by the methods of Examples 17.1 and 17.2. The particle size distribution measured before and after heat treatment is indicated in Figure 19. The heat treatment is seen to transform the original particles exhibiting a broad multi-modal size distribution into particles with a mono-modal narrow size distribution. The proportion of cubic phase particles in the dispersion was increased to nearly 100% after the heat treatment.

**Components:**

- a DOPE
- b Polysorbate 80
- c Pluronic® F127

Formulation	a:b:c	abc wt%	aqueous medium	aq wt%	Phase before	Temp °C	Time min	Phase after
iii	77.4:13.0:9.6	2	water	98	lam/cubic*	120	20	cubic*

**Example 20 - Charged Ternary/Quarternary Compositions.**

Compositions including a charged amphiphile in component a were prepared.

A dispersion of DOPE (0.90 g), DOPG (0.036 g), TGMO-15 (0.207 g) and DOPE-PEG(5000) (0.06 g) in deionized water (58.8 g) was prepared by the methods of Examples 17.1 and 17.2. The heat treatment was performed in 5 mM NaCl resulting in a mono-modal narrow size distribution. The particle size distribution measured before and after heat treatment is indicated in Figure 20. The heat treatment was also accompanied by a turbidity increase of the sample indicating that a greater proportion of the particles in the dispersion were of non-lamellar character.

Components:

- a1 DOPE
- a2 DOPG
- b TGMO-15
- c DOPE-PEG(5000)

Formulation	a1:a2:b:c	abc wt%	aqueous medium	aq wt%	Phase before	Temp °C	Time min	Phase after
iv	75:3:17:5	2	5 mM NaCl	98	lam/cubic*	120	20	cubic**

**Example 21 - Further charged composition.**

A dispersion of DOPE (0.90 g), DOPG (0.036 g), Polysorbate 80 (0.212 g) and DOPE-PEG(5000) (0.06 g) in deionized water (58.8 g) was prepared by the methods of Examples 17.1 and 17.2. The heat treatment was performed in 5 mM NaCl resulting in a mono-modal narrow size

distribution. The particle size distribution measured before and after heat treatment is indicated in Figure 21. A greater proportion of the particles in the dispersion showed non-lamellar character after the heat treatment.

Components:

- a1 DOPE
- a2 DOPG
- b Polysorbate 80
- c DOPE-PEG(5000)

Formulation	a1:a2:b:c	abc wt%	aqueous medium	aq wt%	Phase before	Temp °C	Time min	Phase after
v	75:3:17:5	2	5 mM NaCl	98	lam/cubic*	120	20	cubic**

#### Example 22 - Active agent loading

Non-lamellar dispersions of varying components in water and saline solutions may be prepared by the method of Example 17.1 and treated with the heat treatment method of Example 17.2.

To the dispersions is added the cationic peptide desmopressin to a concentration of 1 mg/ml. The dispersion is allowed to equilibrate for 60 minutes at room temperature and reanalysed for particle size and optionally phase behaviour. The particle size is not affected as determined using laser diffraction.

#### Example 23 - Toxicity testing

### 23.1 Hemolysis

A cubic phase dispersion was prepared by the methods of Examples 17.1 and 17.2 using the following components:

- a) DOPE
- b) TGMO-15
- b) DOPE-PEG5000

in the weight ratio a:b:c 76:20:4, dispersed in water to a total amphiphile concentration of 2 wt%. This solution was diluted with water to varying final concentrations. A Cryo-TEM image of the dispersion is shown in Figure 22.

The hemolytic effect of the cubic phase dispersion at varying concentrations was measured. The dispersion was found to be non-hemolytic at concentrations of up to 1 wt% total amphiphile.

### 23.2 Pyrogenicity

A DOPE based formulation was prepared as in Example 23.1 and was tested for pyrogenicity in a rabbit model. The composition was found to be non-pyrogenic up to doses of at least 5 ml/kg (5 wt% total amphiphile).

### 23.3 Acute toxicity

DOPE based compositions were prepared as in Example 23.1

and tested for acute toxicity in a rat model.

The DOPE based cubic phase dispersion showed no acute toxicity in a dose dependant study with doses up to 10 ml/kg (10 wt% amphiphile).

**Example 24 - Control of particle size by means of concentration.**

Dispersions of GMO/F-127 (90:10) and GMO:OA/F127 (84.5:4.5:9) were prepared as in the above Examples (see especially Examples 1-3 & 15), but was diluted to a known concentration in the aqueous medium prior to homogenisation by Micorfulidiser in water (six passes at 345 bar) and heat treatment at 120°C for 20 minutes followed by annealing at room temperature. In both cases dispersions of cubic phase particles were formed.

The particle size distribution and average particles sizes for the resulting dispersions were analysed as above.

Figure 23a shows the particle size distributions for GMO/F-127 (90:10) treated at dilutions of 1 to 5 wt% total mixture in water. The corresponding average particles sizes is shown in Figure 23b.

Figure 24a shows the particle size distributions for GMO/OA/F-127 (84.5:4.5:10) treated at dilutions of 1 to 5 wt% total mixture in water. The corresponding average particles sizes is shown in Figure 24b.

It can be seen that the average particle size after treatment is directly dependent upon the treatment concentration.

**Example 25 - Stability of progesterone to heat treatment**

The steroid hormone progesterone is dissolved in water at a level of 1% by weight. The solution is subsequently heated to 120°C in an autoclave for 20 minutes and cooled to room temperature. The solution is concentrated by freeze-drying and the residue analysed for breakdown products by gas chromatography mass spectrometry.

**Example 26 - Higher loading by heat treatment.**

A dispersion of cubic particles of formulation GMO/OA/F-127 (84.5:4.5:10) was prepared as in Example 24. The steroid hormone progesterone was incubated with the cubic particles at room temperature as described for desmopressin in Example 22. The equilibrium loading level was 3% by weight.

The above method was repeated by the active agent progesterone was included in the aqueous phase prior to the homogenisation and heat treatment steps. The loading level was again examined and established to be 18 wt%. The effect upon the particle size distribution was minimal.

The composition with 18 wt% progesterone generated above was stored at room temperature for 14 days. No degradation of the composition or decrease in the loading level was observed after this time.



## Claims

1. A method for the production of (preferably colloidal) non-lamellar particles, said method comprising forming lamellar and optionally non-lamellar particles comprising at least one structuring agent, heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide conversion of at least 50% of said lamellar particles to non-lamellar form, after cooling.

2. A method for narrowing the particle size distribution of a sample of lamellar and/or non-lamellar particles comprising at least one structuring agent, said method comprising heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide a narrowing of said particle size distribution, after cooling.

3. A method for stabilising the particle size distribution (for example, as displayed by light scattering) of a sample of lamellar and/or non-lamellar particles comprising at least one structuring agent, said method comprising heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide stabilisation of said particle size distribution after cooling.

4. A method as claimed in any of claims 1 to 3 wherein said particles comprise at least 50% of a structure forming amphiphilic component "a", up to 40% of at least one structure swelling agent "b" and up to 20% of a dispersion stabilising polymeric agent "c", wherein all parts are by weight relative to the total weight of a+b+c.

5. Non-lamellar particles comprising at least one structuring agent formed or formable by forming lamellar and optionally non-lamellar particles comprising at least one structuring agent, heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide conversion of at least 50% of said lamellar particles to non-lamellar form, after cooling.

6. A formulation of (preferably colloidal) particles comprising at least one structuring agent, wherein at least 75% of the particles, preferably at least 85% and most preferably at least 95% of particles in the formulation are non-lamellar.

7. A formulation as claimed in claim 6 further comprising at least one active agent.

8. A formulation of particles as claimed in claim 6 or claim 7 wherein the particle size distribution is essentially stable to storage at room temperature for at least 10 days.

9. . A method for controlling the particle size and/ or particle size distribution of a sample of lamellar and/or non-lamellar particles comprising at least one structuring agent, said method comprising heating said particles to an elevated temperature in a medium of controlled ionic strength, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide controll over of said particle size and/ or particle size distribution, after cooling.

10. A method for controlling the particle size and/or particle size distribution of a sample of lamellar and/or non-lamellar particles comprising at least one structuring agent, said method comprising heating said particles to an elevated temperature at a controlled dilution in an aqueous medium, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide controll over of said particle size and/ or particle size distribution, after cooling.

11. A method for loading (preferably colloidal) non-lamellar particles with a heat-insensitive active agent, said method comprising forming lamellar and optionally non-lamellar particles comprising at least one structuring agent dispersed in a medium containing said active agent, heating said particles to an elevated temperature, followed by cooling, preferably to ambient temperature, wherein said heating is to a temperature and for a period sufficient to provide conversion of at least 50% of said lamellar particles to non-lamellar form, after cooling and/or sufficient to provide a loading of active agent at least twice that achievable by equilibration at room temperature.

1/13




Figure 1




Figure 2

2/13




Figure 3




Figure 4

3/13

Differential Volume




Figure 5




Figure 6

4/13




Figure 7




Figure 8

5/13  
Differential Volume




Figure 9




Figure 10



6/13




Figure 11




Figure 12

7/13




Figure 13




Figure 14. Particle-size distribution of liquid crystalline (cubic phase) dispersion after a) mechanical agitation, b) homogenisation by Microfluidizer (six passes ) operating at 345 bar, and following c) heating to 120° C for 20 minutes.




Figure 15. Particle-size distribution of liquid crystalline (cubic phase) dispersion after a) mechanical agitation, b) homogenisation by Microfluidizer (six passes ) operating at 172 bar, and following c) autoclaving 120 C for 20 minutes.




Figure 16. Particle-size distribution of liquid crystalline (cubic phase) dispersion after 11 days storage of sample a) homogenised by Microfluidizer (six passes ) operating at 345 bar, and following b) heated to 120 C for 20 minutes.




Figure 17.




Figure 18.




Figure 19.




Figure 20.




Figure 21.




Figure 22 Cryo-TEM image of non-lamellar particles obtained after heat-treating a homogenisate of DOPE/TGMO-15/DOPE-PEG(5000) (76/20/4)




Fig 23a.




Fig. 23b.




Fig 24a.




Fig 24b.



THE PATENT OFFICE

16 AUG 2004

Received in Patents  
International Unit

PCT/GB2004/003387



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**